# SulfRock boards: selecting an application

Magnesium sulphate board use must follow the relevant system evidence.

Build Supply | SulfRock | Intelligent Panel Systems | HomePod

### 1 Internal linings

Confirm the board, supports, fixings and finish for the proposed wall or ceiling.

### 2 External assemblies

Check whether the specified board and finish system are approved for the exposure and detailing.

### 3 Wet areas

Water resistance is not waterproofing. Specify an appropriate wet-area system where required.

### 4 Floors and roofs

Confirm structural suitability, span, loads and support. Do not assume any board can replace a structural deck.

### 5 Fire performance

Check the exact SulfRock board report and its classification scope. A board reaction-to-fire rating does not establish a wall, floor or IPS panel fire-resistance period.

### 6 IPS and HomePod

For panels incorporating Plixxent PU foam insulation, assess the complete panel and building details, including joints and openings.

**Before specifying: obtain the current board report, application detail and system evidence.**

## REFERENCE GUIDANCE

GOV.UK: Approved Documents (England)
GOV.UK: Approved Document A

Use current product instructions and the approved project design. For regulations, confirm the UK nation, applicable edition and transitional arrangements.



**Help us keep our information accurate.**

If you notice an error, outdated information or something that needs clarification in this document, please let us know.
Report an Issue: Visit our website and select Report a Website or Document Issue.
homepodltd.com